

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 12/14/2015 Date of issue: 12/14/2015

Version: 1.0

# **SECTION 1: IDENTIFICATION**

# 1.1. Product Identifier

Product Name: QuanTtest® Red Reagent

Product Code: 5210-12

Synonyms: Pyrogallol Red Molybdate Dye1.2. Intended Use of the ProductLaboratory Reagent. For professional use only.

# 1.3. Name, Address, and Telephone of the Responsible Party

#### Company

Quantimetrix Corp.

2005 Manhattan Beach Blvd. Redondo Beach, CA 90278 310-536-0006

www.quantimetrix.com

# **1.4.** Emergency Telephone Number Emergency Number : 310-536-0006

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the Substance or Mixture

#### **GHS-US classification**

Not classified

# 2.2. Label Elements

GHS-US Labeling No labeling applicable

#### 2.3. Other Hazards

No additional information available

# 2.4. Unknown Acute Toxicity (GHS-US) No data available

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product Identifier	% (w/w)	GHS-US classification
Hydrochloric acid	(CAS No) 7647-01-0	0.15	Met. Corr. 1, H290
			Skin Corr. 1B, H314
			Eye Dam. 1, H318
			STOT SE 3, H335
			Aquatic Acute 2, H401

Full text of H-phrases: see section 16

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Ingestion:** Rinse mouth. Do NOT induce vomiting.

# 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** None expected under normal conditions of use.

**Inhalation:** Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

12/14/2015 EN (English US) 1/6

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Skin Contact: May cause minor irritation.

**Eye Contact:** Direct contact with the eyes is likely irritating.

Ingestion: If a large quantity has been ingested: May cause nausea, vomiting, and diarrhea.

**Chronic Symptoms: Not available** 

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

#### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide, dry chemical powder, alcohol foam, polymer foam, water spray, fog.

Unsuitable Extinguishing Media: None known.

#### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

**Explosion Hazard:** Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

#### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Exercise caution when fighting any chemical fire.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products**: The product is not flammable. However, under fire conditions, decomposition may produce carbon monoxide, carbon dioxide, chloride and hydrocarbons.

#### **Reference to Other Sections**

Refer to section 9 for flammability properties.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing vapor, mist, or spray. Avoid contact with skin, eyes, or clothing.

#### 6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

# **6.1.2.** For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.6.2. Environmental Precautions

Prevent entry to sewers and public waters.

# 6.3. Methods and Material for Containment and Cleaning Up

For Containment: Absorb and/or contain spill with inert material, then place in suitable container.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely.

#### 6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for Safe Handling

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

# 7.3. Specific End Use(s)

Laboratory Reagent. For professional use only.

12/14/2015 EN (English US) 2/6

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

U		
Hydrochloric acid (7647-01-0)		
Mexico	OEL Ceiling (mg/m³)	7 mg/m³
Mexico	OEL Ceiling (ppm)	5 ppm
USA ACGIH	ACGIH Ceiling (ppm)	2 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA OSHA	OSHA PEL (Ceiling) (mg/m³)	7 mg/m³
USA OSHA	OSHA PEL (Ceiling) (ppm)	5 ppm
USA NIOSH	NIOSH REL (ceiling) (mg/m³)	7 mg/m³
USA NIOSH	NIOSH REL (ceiling) (ppm)	5 ppm
USA IDLH	US IDLH (ppm)	50 ppm
Alberta	OEL Ceiling (mg/m³)	3 mg/m³
Alberta	OEL Ceiling (ppm)	2 ppm
British Columbia	OEL Ceiling (ppm)	2 ppm
Manitoba	OEL Ceiling (ppm)	2 ppm
New Brunswick	OEL Ceiling (mg/m³)	7.5 mg/m³
New Brunswick	OEL Ceiling (ppm)	5 ppm
Newfoundland & Labrador	OEL Ceiling (ppm)	2 ppm
Nova Scotia	OEL Ceiling (ppm)	2 ppm
Nunavut	OEL Ceiling (mg/m³)	7.5 mg/m³
Nunavut	OEL Ceiling (ppm)	5 ppm
Northwest Territories	OEL Ceiling (ppm)	2 ppm
Ontario	OEL Ceiling (ppm)	2 ppm
Prince Edward Island	OEL Ceiling (ppm)	2 ppm
Québec	PLAFOND (mg/m³)	7.5 mg/m³
Québec	PLAFOND (ppm)	5 ppm
Saskatchewan	OEL Ceiling (ppm)	2 ppm
Yukon	OEL Ceiling (mg/m³)	7 mg/m³
Yukon	OEL Ceiling (ppm)	5 ppm

#### 8.2. Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: Gloves. Protective clothing.





Materials for Protective Clothing: Chemically resistant fabrics and materials.

**Hand Protection:** Wear chemically resistant protective gloves. **Eye Protection:** None required under normal conditions of use. **Skin and Body Protection:** Wear suitable protective clothing.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed

established Occupational Exposure Limits.

Other Information: When using, do not eat, drink or smoke.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on Basic Physical and Chemical Properties

Physical State : Liquid

12/14/2015 EN (English US) 3/6

#### Safety Data Sheet

Viscosity

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Appearance:Brownish-redOdor:OdorlessOdor Threshold:Not available

**pH** : 1.5

**Evaporation Rate** Not available **Melting Point** Not available **Freezing Point** Not available **Boiling Point** Not available **Flash Point** Not available Not available **Auto-ignition Temperature Decomposition Temperature** Not available Flammability (solid, gas) Not available **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available **Vapor Pressure** Not available Relative Vapor Density at 20 °C Not available **Relative Density** Not available **Specific Gravity** Not available Solubility Not available Partition Coefficient: N-Octanol/Water Not available

Explosion Data – Sensitivity to Mechanical Impact : Not expected to present an explosion hazard due to mechanical impact.

Explosion Data – Sensitivity to Static Discharge : Not expected to present an explosion hazard due to static discharge.

Not available

# **SECTION 10: STABILITY AND REACTIVITY**

**10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.

**10.2.** Chemical Stability: Product is stable.

**10.3.** Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

**10.4.** Conditions to Avoid: Direct sunlight. Extremely high or low temperatures.

**10.5. Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.

**10.6. Hazardous Decomposition Products:** The product is not flammable. However, under fire conditions, decomposition may produce carbon monoxide, carbon dioxide, chloride and hydrocarbons.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on Toxicological Effects - Product

Acute Toxicity: Not classified
LD50 and LC50 Data: Not available
Skin Corrosion/Irritation: Not classified
Serious Eye Damage/Irritation: Not classified
Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

**Teratogenicity:** Not available **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

**Aspiration Hazard:** Not classified

Symptoms/Injuries After Inhalation: Not expected to present a significant inhalation hazard under anticipated conditions of normal

use.

Symptoms/Injuries After Skin Contact: May cause minor irritation.

Symptoms/Injuries After Eye Contact: Direct contact with the eyes is likely irritating.

12/14/2015 EN (English US) 4/6

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Symptoms/Injuries After Ingestion: If a large quantity has been ingested: May cause nausea, vomiting, and diarrhea.

#### 11.2. Information on Toxicological Effects - Ingredient(s)

#### LD50 and LC50 Data:

Hydrochloric acid (7647-01-0)		
LD50 Dermal Rabbit	> 5010 mg/kg	
Hydrochloric acid (7647-01-0)		
IARC Group	3	

# SECTION 12: ECOLOGICAL INFORMATION

# **12.1. Toxicity** No additional information available

Hydrochloric acid (7647-01-0)	
LC50 Fish 1	3.25 - 3.5 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
EC50 Daphnia 1	4.92 mg/l (Exposure time: 48 h - Species: Daphnia magna)

#### 12.2. Persistence and Degradability

QuanTtest® Red Reagent	
Persistence and Degradability	Not established.

#### 12.3. Bioaccumulative Potential

QuanTtest® Red Reagent	
Bioaccumulative Potential	Not established.

**12.4. Mobility in Soil** Not available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

# **SECTION 14: TRANSPORT INFORMATION**

14.1.	In Accordance with DOT	Not regulated for transport
14.2.	In Accordance with IMDG	Not regulated for transport
14.3.	In Accordance with IATA	Not regulated for transport
14.4.	In Accordance with TDG	Not regulated for transport

# **SECTION 15: REGULATORY INFORMATION**

# 15.1. US Federal Regulations

Hydrochloric acid (7647-01-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on the United States SARA Section 302	
Subject to reporting requirements of United States SARA Section 313	
SARA Section 302 Threshold Planning Quantity (TPQ) 500 (gas only)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

# 15.2. US State Regulations

# Hydrochloric acid (7647-01-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

# 15.3. Canadian Regulations

QuanTtest® Red Reagent	

12/14/2015 EN (English US) 5/6

#### Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	
Hydrochloric acid (7647-01-0)		
Listed on the Canadian DSL (Domestic Substances List)		
Listed on the Canadian IDL (Ingredient Disclosure List)		
IDL Concentration 1 %		
WHMIS Classification	Class E - Corrosive Material	
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

# SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 12/14/2015

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

#### **GHS Full Text Phrases:**

Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation
H401	Toxic to aquatic life

# Party Responsible for the Preparation of This Document

Quantimetrix Corp. 2005 Manhattan Beach Blvd. Redondo Beach, CA 90278 310-536-0006

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS

12/14/2015 EN (English US) 6/6